

smavIt

THE ENERGY THAT ACCOMPANIES YOU. EVERY DAY.

CATALOGUE **WATER HEATERS**



SMART TECHNOLOGY

ELEGANT DESIGN

EVERYDAY WELLBEING





Jonio

Wall-mounted electric storage water heater 10/15/30

- Stainless steel heating element
- 10L available for above- and under-sink installation
- 15L available for above- and under-sink installation
- 30L available for above-sink installation
- Plastic casing
- Glass-lined tank
- Temperature setting
- Power LED indicator (integrated with switch)



PORCELAIN ENAMEL PROTECTION



CFC-free insulation



Triple safety



Independent magnesium anode



Glass-lined tank



Temperature adjustment

Model	Liters	Dimensions (mm)							Watt	Working pressure	Weight	Weight	Heating time	QTY per container (40HQ)
		A	B	C	D	E	F	G						
SVK10	10	341	341	298	100	101	364	1/2"	1500	0,8	7,1	8,7	32	900
SVK10U	10	341	341	298	100	101	364	1/2"	1500	0,8	7,1	8,7	32	900
SVK15	15	366	366	311	100	118	389	1/2"	1500	0,8	7,9	9,8	43	840
SVK15U	15	366	366	311	100	118	389	1/2"	1500	0,8	7,9	9,8	43	840
SVK30	30	456	456	376	100	131	479	1/2"	1500	0,8	12,6	14,7	74	700

ADRIATICO

Wall-mounted electric storage water heater 30/50/80/100

Class C

High-efficiency insulation



LED charge indicator

Stainless steel heating element

Retains heat

Independent thermostat and safety

PORCELAIN ENAMEL PROTECTION



5-bolt
flange



Porcelain
enamel tank



Independent
magnesium
anode



Temperature
adjustment



Universal
bracket



Charge
indicator



CFC-free
insulation


Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
SVB30E	30	431	380	398	502	1500W	12,7	14,3	72	600
SVB50E	50	475	450	468	560	1500W	15,5	17,5	120	480
SVB80E	80	700	450	468	785	1500W	23,5	25	192	360
SVB100E	100	850	450	468	935	1500W	28	31	240	250
SHB50E	50	475	450	468	560	1500W	15,5	17,5	120	480
SHB80E	80	700	450	468	785	1500W	23,5	25	192	360
SHB50SXE	50	475	450	468	560	1500W	15,5	17,5	120	480
SHB80SXE	80	700	450	468	785	1500W	23,5	25	192	360

MEDITERRANEO PLUS

Wall-mounted electric storage water heater 50/80/100

- Class C
- High-efficiency insulation
- LED charge indicator
- High-efficiency copper heating element
- Retains heat
- Independent thermostat and safety

PORCELAIN ENAMEL PROTECTION



- 5-bolt flange
- Independent magnesium anode
- Universal bracket
- CFC-free insulation
- Porcelain enamel tank
- Temperature adjustment
- Charge indicator

Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
SVA50 PLUS	50	506	460	468	547	1500W	17	19,6	120	456
SVA80 PLUS	80	716	460	468	757	1500W	24	26	192	335
SVA100 PLUS	100	856	460	468	897	1500W	27,9	30,4	240	246

MEDITERRANEO PRO

Wall-mounted electric storage water heater 30/50/80/100

Timer

High-efficiency insulation

LED charge indicator


Stainless steel heating element

Digital display

Independent thermostat and safety



PORCELAIN ENAMEL PROTECTION



5-bolt
flange



Timer



Independent
magnesium
anode



Porcelain
enamel tank



Universal
bracket



Temperature
adjustment



CFC-free
insulation



Charge
indicator

Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
SVA50 PRO	50	506	460	468	547	1500W	18,3	20,8	120	456
SVA80 PRO	80	716	460	468	757	1500W	24,9	27,8	192	335
SVA100 PRO	100	856	460	468	897	1500W	27,3	30,3	240	246

EVERFLOW

Wall-mounted electric storage water heater 50/80/100

Touch keys

Double tank and slim design

Timer

Energy saving

Triple power 800W / 1200W / 2000W

High-efficiency copper heating element

Anti-Legionella

High-precision capillary thermostats


ECO function

PORCELAIN ENAMEL PROTECTION

**SUPER FAST FUNCTION
2000W**

5
YEARS
WARRANTY

CLASS
B



5-bolt
flange



Timer



Independent
magnesium
anode



Porcelain
enamel tank



Universal
bracket



Temperature
adjustment



CFC-free
insulation



Charge
indicator

Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
EFW30	30	650	410	279	665	2000W	21,1	24,2	72	408
EFW50	50	713	520	339	728	2000W	26,9	29,9	120	272
EFW80	80	969	520	339	984	2000W	35,4	38,5	192	216

TIRRENO SFV

Wall-mounted electric storage water heater 30/50/80/100

Porcelain enamel tank
Large magnesium anode
CFC-free insulation
Shatterproof ABS thermometer
LED charge indicator
High-efficiency copper heating element
Bipolar mechanical thermostat, double safety
Innovative flange system

2
YEARS
WARRANTY

CLASS
C



5-bolt
flange



Independent
magnesium
anode



Porcelain
enamel tank



Universal
bracket



Temperature
adjustment



CFC-free
insulation





Charge
indicator

Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
SFV30	30	465	446,2	466,2	-	1200W	13,5	15,5	1h 34 min	625
SFV50	50	569	446,2	466,2	-	1500W	17	19,4	2h 5 min	500
SFV80	80	806	446,2	466,2	-	1500W	22	24,97	3h 15 min	360
SFV100	100	964	446,2	466,2	-	2000W	26,5	29	2h 56 min	250

TIRRENO SFH

Wall-mounted electric storage water heater 50/80/100

Porcelain enamel tank
Large magnesium anode
CFC-free insulation
Shatterproof ABS thermometer
LED charge indicator
High-efficiency copper heating element
Bipolar mechanical thermostat, double safety
Innovative flange system



5-bolt
flange



Independent
magnesium
anode



Porcelain
enamel tank



Universal
bracket



Temperature
adjustment



CFC-free
insulation



Charge
indicator

Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
SFH50	50	569	446,2	466,2	-	1500W	17	19,34	2h 5 min	500
SFH80	80	806	446,2	466,2	-	1500W	22	24,97	3h 15 min	360
SFH50SX	50	569	446,2	466,2	-	1500W	17	19,34	2h 5 min	500
SFH80SX	80	806	446,2	466,2	-	1500W	22	24,97	3h 15 min	360

TIRRENO SEV

Wall-mounted electric storage water heater 30/50/80/100

Porcelain enamel tank

Large magnesium anode

CFC-free insulation

Shatterproof ABS thermometer

LED charge indicator

High-efficiency copper heating element


Bipolar mechanical thermostat, double safety

2
YEARS
WARRANTY

CLASS
C



PORCELAIN ENAMEL PROTECTION



Screw
flange



Independent
magnesium
anode



Glass-lined
tank



Triple
safety



Temperature
adjustment



Universal
bracket



Charge
indicator

Model	Liters	Dimensions (mm)				Power	Net weight	Gross weight	Heating time	Quantity per container
		A	B	C	D					
SEV30	30	465	446,2	466,2	-	1200W	13,5	15,5	1h 34 min	625
SEV50	50	569	446,2	466,2	-	1500W	17	19,4	2h 5 min	500
SEV80	80	806	446,2	466,2	-	1500W	22	24,97	3h 15 min	360
SEV100	100	964	446,2	466,2	-	2000W	26,5	29	2h 56 min	250

TIRRENO SEV

RING-NUT FLANGE

Heating element



It is the main heat source, converting electricity into heat for the water. Vela uses Italian-made heating elements, recognised worldwide for their quantity and reliability.

Dielectric fittings (Optional)

Installed on the external parts of the hot and cold water pipes, these devices protect the heater from positive ions, ensuring a longer and safer service life.



Thermostat

Inside every Vela heater there is a double adjustable safety thermostat, made in Italy, which controls the water temperature and safely prevents overheating.

Thermometer

Fitted on the front is a thermometer used to monitor the water temperature, allowing you to check correct operation and adjust the heat safely and efficiently.



Safety valve

This component is made in Italy and is used as an anti-drain device, safely discharging any excess pressure above 8 bar.

Ring-Nut Flange

All electrical elements are securely installed inside the brass flange, ensuring their stability.





Rigel Enterprise s.r.l.

Via Montefiorino, 4 – 05018 Orvieto (TR) - ITALY

Tel: +39.375.6320670 - P.IVA/VAT : 01620020550 - info@rigel-enterprise.com